Sheet <u>1</u> of <u>10</u>

Attorney Docket Number PM9978 DIV FORM PTO-1449 U.S. Department of Commerce Serial No. Patent and Trademark Office To Be Determined LIST OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary) Applicants: Hasson et al. Filing Date: Herewith Group U. S. PATENT DOCUMENTS Examiner Document Filing Date Initial Number Date Name Class Subclass if Appropriate 1. 3,642,851 02/15/72 Bennett 260 448.2N 2. 3,646,090 02/29/72 Bennett 260 448.2E 3. 3,657,363 04/18/72 Dorko 260 642 4. 3,748,864 07/31/73 Lofredo et al. 62 22 5. 3,966,781 06/29/76 Atkinson et al. 260 410.9 R 6. 3,989,705 11/02/76 Werstiuk et al. 260 290 P 7. 4,080,429 03/21/78 Koeppe et al. 423 262 8. 4,157,495 06/05/79 Grover et al. 324 0.5F 9. 4,369,048 01/18/83 Pence 55 66 10. 4,385,086 05/24/83 Nakayama et al. 427 387 11. 4,417,909 11/29/83 Weltmer, Jr. 62 12 12. 4,450,407 05/22/84 Kwon et al. 324 304 13. 4,466,442 08/21/84 Hilmann et al. 128 653 14. 4,599,462 07/08/86 Michl 568 702 15. 4,755,201 07/05/88 Eschwey 62 12 16. 4,786,302 11/22/88 Osafune et al. 65 3.11 17. 4,793,357 12/27/88 Lindstrom 128 654 18. 4,862,359 08/29/89 Trivedi et al. 364 413.05 19. 4,914,160 04/03/90 Azizian 525 329.3 20. 4,977,749 12/18/90 Sercel 62 51.1 21. 4,996,041 02/26/91 Arai et al. 424 9 22. 5,007,243 04/16/91 Yamaguchi et al. 62 51.1 23. 5,008,219 04/16/91 Hara 501 12 5,039,500 24. 08/13/91 Shino et al. 423 262 25. 5,161,382 11/10/92 Missimer 62 46.1 26. 5,190,744 03/02/93 Rocklage et al. 424 9

Sheet 2 of 10

FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office			Attorney Docke	et Number Pl	M9978 DIV	Serial No. To Be	
LIST OF DOCUMENTS CITED BY APPLICANT							Determined
(U	(Use several sheets if necessary)						
				Applicants:	Hasson et al.		
				Filing Date:	Herewith		Group
27.	5,352,979	10/04/94	Conturo		324	307	
28.	5,357,959	10/25/94	Fishman et	al.	128	653.2	
29.	5,394,057	02/28/95	Russell et a	al.	313	638	
30.	5,433,196	07/18/95	Fiat		128	632	
31.	5,494,655	02/27/96	Rocklage e	et al.	424	9.36	
32.	5,509,412	04/23/96	Bahn		128	653.2	
33.	5,617,860	04/08/97	Chupp et a	1.	128	653.4	
34.	5,626,137	05/06/97	Dumoulin	et al.	128	653.2	
35.	5,637,507	06/10/97	Wicks et a	1.	436	166	
36.	5,642,625	07/01/97	Cates, Jr. e	et al.	62	55.5	
37.	5,809,801	09/22/98	Cates, Jr. e	et al.	62	637	
38.	5,934,103	08/10/99	Ryan et al.		62	637	
39.	5,936,404	08/10/99	Ladebeck	et al.	324	300	
40.	5,969,526	10/19/99	Duerr		324	318	
41.	6,023,162	02/08/00	Johnson		324	300	
42.	6,085,743	07/11/00	Rosen et a	1.	128	200.24	
		FOREIGN	N PATENT I	DOCUMENTS			
	Document Number	Date		Country	Class	Subclass	Translation Yes No
43.	0620447A2	19/10/94	EPO				
44.	WO9737239	09/10/97	РСТ				
45.	WO 97/10018	20/03/97	РСТ				
46.	WO98/02209 A2	22/01/98	PCT				
47.	WO98/43701	08/10/98	PCT				
48.	WO99/08941	25/02/99	РСТ				
49.	WO 99/14582	25/03/99	PCT				Х
50.	EP 0933062A2	04/08/99	EPO				
51.	WO 99/25243	27/05/99	РСТ				
52.	WO 99/17304	08/04/99	PCT				

Sheet 3 of 10

FORM PTO	FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office			Attorney Docket Number PM9978 DIV		Serial No.		
LIST	LIST OF DOCUMENTS CITED BY APPLICANT						To Be Determined	
	(Use several sheets if necessary)							
		se several sheets if heet	ossary)		Applicants: Hasson et al.			
					Filing Date:	Herewith		Group
	53.	WO 99/52428	21/10/99	PCT				
	54.	WO99/66255A2	23/12/99	PCT				
	55.	WO 00/21601	20/04/00	PCT				
	56.	WO 00/23797	27/04/00	PCT				
	57.	WO941475A	23/06/94	PCT				
	58.	DE19742548	08/04/99	Germany				
	59.	WO99/66254A1	23/12/99	PCT				
	60.	WO0020042a	13/04/00	PCT				
	61.	WO00/40972	13/07/00	PCT				
		OTHER DOCUM	ENTS (Incl	ıding Author	, Title, Date, Pe	rtinent Pages, E	tc.)	
	62.	Romalis et al., "Accurate ³ He Polarimetry Using the Rb Zeeman Frequency Shift Due to the Rb- ³ He Spin-Exchange Collisions," Phys. Rev. A, Vol. 58, No. 4, pp. 3004-3011 (October 1998).			the Rb- ³ He			
	63.	Albert et al., "129Xe Relaxation Catalysis by Oxygen", Abstracts of the 11th Annual Meetings of the Society for Magnetic Resonance Medicine, Abstract No. 4710 (1992).						
	64.	Albert et al., "Measurement of ¹²⁹ Xe T1 in Blood to Explore the Feasibility of Hyperpolarized ¹²⁹ Xe MRI, Jour. Comp. Ass. Tomography, Vol. 19, No. 6 (NovDec. 1995).						
	65.	Albert et al., "Magn 80 (December 1994	Albert et al., "Magnetic Resonance Imaging Using Hyperpolarized ¹²⁹ Xe," Medical Electronics, pp. 72-80 (December 1994).			tronics, pp. 72-		
	66.	Albert et al., "Aqueo Biomedicine 6 7-20	Albert et al., "Aqueous Shift Reagents for High-resolution Cation NMR. VI," Reprint from NMR in Biomedicine 6 7-20 (1993).					
	67.	Altschuler et al., "Ra 61-77 (January 1992	Altschuler et al., "Radiobiologic Models for Radiosurgery," Neurosurg. Clin. N. Am., Vol. 3, No. 1, pp. 61-77 (January 1992).			ol. 3, No. 1, pp.		
	68.	Arimoto, et al., "Development of Measurement and Control System for Polarized ³ He Ion Source Based on Electron Pumping," The 11th Symposium on Accelerator Science and Technology, Harima Science Garden City, pp. 14-16 (1997).						
	69.	Augustine et al., "Low Field Magnetic Resonance Images of Polarized Noble Gases Obtained with a dc Quantum Interference Device," App. Phys. Ltrs., Vol. 72, No. 15, pp. 1908-1910 (April 1998).						
	70.	Bárány, M. et al., "High Resolution Proton Magnetic Resonance Spectroscopy of Human Brain and Liver," Magn. Reson. Imaging, 5:393 (1987).			Brain and			
	71.	Becker et al., "Study Methods In Physics	Becker et al., "Study of Mechanical Compression of Spin-Polarized ³ He Gas", Nuclear Instruments and Methods In Physics Research, Vol. A 346, pp. 45-51 (1994).			nstruments and		
	72.	Belliveau et al., "Fur Resonance in Medic	Belliveau et al., "Functional Cerebral Imaging by Susceptibility-Contrast NMR," 14 Magnetic Resonance in Medicine 14, pp. 538-546 (1990).					
	73.	Bhaskar et al., "Efficiency of Spin Exchange between Rubidium Spins and 129Xe Nuclei in a Gas",						

Sheet 4 of 10

FORM PTO-1449 U.S. Department of Commerce		U.S. Department of Commerce	Attorney Docket Number PM9978 DIV	Serial No.	
	Patent and Trademark Office			To Be	
LIST	OF DO	CUMENTS CITED BY APPLICANT		Determined	
	(Us	e several sheets if necessary)			
			Applicants: Hasson et al.		
			Filing Date: Herewith	Group	
		Physical Review Letters, Vol. 49, No. 1, pp.	25-28 (7/5/82).		
	74.	Bifone, et al., "NMR of laser-polarized xeno pp. 12932-12936 (November 1996).	Bifone, et al., "NMR of laser-polarized xenon in human blood," Proc. Natl. Acad. Sci. USA, Vol. 93, pp. 12932-12936 (November 1996).		
	75.	Bishop et al., "High-Order Multipolar Hyper Int'l. Jour. Of Quan. Chem., Vol. 59, pp. 103	polarizabilities with Imaginary Frequency f 3-108 (1996).	for H and He,"	
	76.	Bishop et al., "The Interaction Polarizatility and Molecular Phys., Vol. 88, No. 4, pp. 887-898		for HeHe,"	
	77.	Blumgart et al., "Studies on the Velocity of I	Blood Flow," J. Clin. Invest., 4:339-425 (19	927).	
	78.	Bock, "Simultaneous T ₂ * and Diffusion Mea pp. 890-895 (1997).			
	79.	Bouchiat et al., "Relaxation of Optically Pumped Rb Atoms on Paraffin-Coated Walls," Phys. Rev., Vol. 147, No. 1 (7/8/66).			
	80.	Brochure, Jensen Inert Products, Gas Sampling Bags, Jensen@jenseninert.com (copyright 1997).			
	81.	Brunner et al., "Communications: Gas Flow MRI Using Circulating Laser-Polarized 129 Xe," J. Mag. Res. Vol. 138, pp. 155-159 (1999).			
	82.	Burt et al., "Fluorinated Anesthetics as Probes of Lipophilic Environments in Tumors," J. Magn. Reson., 53:163 (1983).			
	83.	Burt et al., The Fluorinated Anesthetic Halothane as a Potential NMR Biologic Probe," Biochem. Biophys. Acta., 805:375 (1984).			
	84.	Cain et al., "Nuclear Spin Relaxation Mechanisms and Mobility of Gases in Polymers," J. Phys. Chem., Vol. 94, No. 5, pp. 2128-2135 (1990).			
	85.	Carver, T.R., "Optical Pumping," Science, V	ol. 141, No. 3581, pp. 599-608 (1963).		
	86.	Cates et al., "Rb- ¹²⁹ Xe spin-exchange rates de pressures", Physical Review A, Vol. 45, p. 4	Cates et al., "Rb- ¹²⁹ Xe spin-exchange rates due to binary and three-body collisions at High Xe pressures", Physical Review A, Vol. 45, p. 4631 (1992).		
	87.	Cates, "New Results from Spin-Exchange Op	ptical Pumping," Am. Inst. Phys. pp. 3-15 (1998).	
	88.	Chawla, et al., "In Vivo Magnetic Resonance Microbubbles," Proc. Natl. Acad. Sci, Vol. 9	Vascular Imaging Using Laser-Polarized 3 25, pp. 10832-10835 (September 1998).	He	
	89.	Chen et al., "Oxygen enhanced MR ventilation imaging of the lung," Mag. Res. Mat'ls in Phys., Bio. & Med., Vol. 7 pp. 153-161 (1998).			
	90.	Chernikov et al., "1083nm Ytterbium Doped Ltrs., Vol. 33, No. 9, 3 pages (24 April 1997)		elium," Elec.	
	91.	Chupp et al., "Chemical Shift Imaging of Las European Radiology, 9:B45 (1999).	ser-Polarized ¹²⁹ XE Magnetization in Rats I	'n Vivo,"	
	92.	Colegrove et al., "Polarization of He ³ Gas by 2572 (1963).	Optical Pumping,: Phys. Rev., Vol. 132, N	Io. 6, pp. 2561-	
	93.	Constantinesco et al., "MRI of Hyperpolarize	ed Gases in Competition with Nuclear Med	icine?"	

Sheet 5 of 10

		Sheet _5	of 10	
	U.S. Department of Commerce tent and Trademark Office	Attorney Docket Number PM9978 DIV	Serial No.	
	OCUMENTS CITED BY APPLICANT		To Be Determined	
	Use several sheets if necessary)			
		Applicants: Hasson et al.	<u> </u>	
		Filing Date: Herewith	Group	
	Médecine Nucléaire, Vol. 21, No. 5, pp. 285		Group	
94.				
94.	Cummings et al., "Optical pumping of Rb va Rev. A, Vol. 51, No. 6, pp. 4842-4851 (1995)	spor using high-power $Ga_{1-x}A_x$ as diode lase 5).	r arrays," Phys.	
95.	Darrasse, et al., "Low-field ³ He nuclear mag 324, Series II b, pp. 691-700 (1997) (French	netic resonance in human lungs," C.R. Acad	d. Sci., Paris, t.	
96.	Deninger et al., "Quantification of Regional Apnea by ³ He MRI," J. Mag. Res., Vol. 141,	Intrapulmonary Oxygen Partial Pressure Ev, pp. 207-216 (1999).	olution during	
97.	De Schepper, "The HERMES ³ He target," A	IP Conf. Proc., Vol. 421, No. 1, pp. 16-25	(January 1998).	
98.	Detre et al., "Measurement of Regional Cere ² H NMR Imaging," 14 Mag. Reson. In Med.	bral Blood Flow in Cat Brain Using Intraca, pp. 389-395 (1990).	rtoid ² H ₂ O and	
99.	Diehl et al., "Nuclear Magnetic Relaxation o	Diehl et al., "Nuclear Magnetic Relaxation of the ¹²⁹ Xe and ¹³¹ Xe Isotopes of Xenon Gas Dissolved in Isotropic and Anisotropic Liquids," J. Magn. Reson., Vol. 88, pp. 660-665 (1990).		
100		Dodell, "The Look of Lungs, NCRR Reporter, 3 pages (Nov./Dec. 1995), http://ch.nus.sg/MEDNEWS/		
101	Driehuys et al., "High-volume production of laser-polarized ¹²⁹ Xe," Appl. Phys. Lett., Vol. 69, No. 12 (16 September 1996).			
102	Eberle et al., "Analysis of intrapulmonary O ₂ helium-3," Am. Physiological Soc., pp. 2043	concentration by MR imaging of inhaled h	yperpolarized	
103	Eberle et al., "Determination of Regional Into Resonance Imaging of inhaled Hyperpolarize 1998).	rapulmonary Oxygen Concentration by Maged ³ Helium," Anesthesiology, Vol. 89, No. 3	gnetic 3A (September	
104	Ebert et al., "Nuclear magnetic resonance im 347, pp. 1297-1299 (May 1996).	aging with hyperpolarized helium-3," Lance	et (NA ed), Vol.	
105	Ernst et al., Chapter 10, "Nuclear Magnetic F and Two Dimensions, pp. 539-564 and 594-5	Resonance Imaging," Prin. of Nuclear Mag. 596 (1987).	Reson. in One	
106	Evers et al., "Correlation between the anaesthetic effect of halothane and saturable binding in brain," Nature, Vol. 328, pp. 157-160 (9 July 1987).			
107.	Freed, "Dynamic Effects of Pair Correlation Functions on Spin Relaxation by Translational Diffusion in Liquids. II. Finite Jumps and Independent T ₁ Processes," 68 J. Chem. Phys., Vol. 9, pp. 4034-4037 (1978).			
108.	Gatzke et al., "Extraordinarily Slow Nuclear Rev. Lett., Vol. 70, No. 5, pp. 690-693 (1 Fel	Spin Relaxation in Frozen Lazer-Polarized bruary 1993).	¹²⁹ Xe", Phys.	
109.	George, "The Sharper Image: MRIs and Xen (December 1994).	non Gas," Jour. of NIH Res., Vol. 6, No. 12	, pp. 42-44	
110.	Glover et al., "Research Directions in MR Im	naging ¹ ," Radiology, Vol. 207, pp. 289-295,	(1998).	
111.	Gregory et al., "Pore Structure Determination Imaging," J. Mag. Reson., Vol. 131, No. 2, p	ns of Silica Aerogels by ¹²⁹ Xe NMR Spectro p. 327-335 (April 1998).	scopy and	

Sheet 6 of 10

			01 10	
FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office		Attorney Docket Number PM9978 DIV	Serial No. To Be	
LIST OF DO	OCUMENTS CITED BY APPLICANT		Determined	
(U	(se several sheets if necessary)			
		Applicants: Hasson et al.		
		Filing Date: Herewith	Group	
112.	Grover, "Noble-Gas NMR Detection through Noble-Gas-Rubidium Hyperfine Contact Interaction," Phys. Rev. Lett., Vol. 40, No. 6, pp. 391-392 (1978).			
113.	Hadeishi et al., "Nuclear Alignment of the ¹ S Metastability-Exchange Collisions," Phys. R	Hadeishi et al., "Nuclear Alignment of the ¹ S ₀ Ground State of ¹³¹ Xe by Electron Pumping and Metastability-Exchange Collisions," Phys. Rev. Lett., Vol. 19, p. 211-213 (1967).		
114.	Happer et al., "An Optical Pumping Primer,"	'Hyperfine Interactions, Vol. 38, pp. 435-4	70 (1987).	
115.	Happer et al., "Polarization of the nuclear sp pumped alkali-metal atoms," Phys. Rev. A, V	ins of noble-gas atoms by spin exchange wi Vol. 29, No. 6, p. 3092-3110 (June 1984).	th optically	
116.	Hardy et al., "Broadband nuclear magnetic re Appl. Phys., Vol. 66, No. 4, pp. 1513-1516 (esonance pulses with two-dimensional spati 15 August 1989).	al selectivity," J.	
117.	Hardy et al., "Correcting for Nonuniform k-Space Sampling in Two-Dimensional NMR Selective Excitation," Jnl. Magnetic Resonance, Vol. 87, pp. 639-645 (1990).			
118.	Hardy et al., "Spatial Localization in Two Dimensions Using NMR Designer Pulses," J. Magnetic Resonance, Vol. 82, pp. 647-654 (1989).			
119.	Hou, et al., "Optimization of Fast Acquisition Methods for Whole-Brain Relative Cerebral Blood Volume (rCBV) Mapping with Susceptibility Contrast Agents," J. Mag. Res. Imaging, Vol. 9 pp. 233-239 (1999).			
120.	Hunt et al., "Nuclear Magnetic Resonance of ¹²⁹ Xe in Natural Xenon," Phys. Rev., Vol. 130, pp. 2302-2305 (15 June 1963).			
121.	Imai et al., "LCBF Values Decline While Lλ Values Increase During Normal Human Again Measured by Stable Xenon-enhanced Computed Tomography," Neuroradiology, Vol. 30, pp. 463-472 (1988).			
122.	Jaduszliwer et al., "Optical spin polarization and state-sensitive detection of a cesium atomic beam," Phys. Rev. A, Vol. 48, No. 3, pp. 2102-2107 (September 1993).			
123.				
124.	Kaatz et al., "A comparison of molecular hyperpolarizabilities from gas and liquid," J. Chem. Phys., Vol. 108, No. 3, pp. 849-856 (1/15/98).			
125.	Kanal et al., Chapter 2 "Signal-to-Noise Ratio, Resolution, and Contrast," Biomedical Magnetic Imaging, pp. 47-114, VCH Publishers, New York (1988).			
126.	Kendall et al., "Xenon as a Contrast Agent for Computed Tomography," J. Neuroradiology, Vol. 8, No. 3, pp. 3-12 (1981).			
127.	Knudsen et al., "Blood-brain barrier permeab intravenous injection," Am. J. Physiol. 266 (I	ility measurements by double-indicator met Heart Circ. Physiolo. 35) pp. H987-H999 (1	hod using 994).	
128.	Laloe et al., AIP Conf. Proc. #131, Workshop Physics, NY, pp. 47-72 (1985).	······································		
129.	Lassen, "Cerebral Transit of an Intravascular Volume But Not Regional Blood Flow," 4 J.	Tracer May Allow Measurement of Region Cereb. Blood Flow and Metab., pp. 633-63-	al Blood 4 (1984).	
130.	Le Bihan, "Magnetic Resonance Imaging of F			

Sheet 7 f 10

FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office			Attorney Docket Number PM9978 DIV	Serial No.		
LIST	LIST OF DOCUMENTS CITED BY APPLICANT			To Be Determined		
		se several sheets if necessary)				
	(Us	e severai sneets ii necessary)	Applicants: Hasson et al.			
		!	Approants. Masson of all			
			Filing Date: Herewith	Group		
		(1990).				
	131.	Le Roux et al., "Gas Transport Properties of Composite Membranes," J. Membrane Sci., V	Surface Fluorinated Poly(vinyltrimethyl-sil Vol. 90, pp. 55-68 (1994).	ane) Filmes and		
	132.	Li et al., "Long-range, collision-induced hypemolecules: Theory and numerical results for 24, pp. 10954-10968 (12/22/996).	erpolarizabilities of atoms or centrosymmet pairs containing H or He," J. Chem. Phys.,	ric linear Vol. 105, No.		
	133.	Lockhart et al., "Absence of Abundant Bindin Study," Anesthesiology, Vol. 73, pp. 455-460	ng Sites for Anesthetics in Rabbit Brain: Ar 0 (1990).	n <i>In Vivo</i> NMR		
	134.	Long et al., "High-Field Cross Polarization N Am. Chem. Soc., Vol. 115, pp. 8491-8492 (1	JMR from Laser-Polarized Xenon to a Poly 993).	mer Surface," J.		
	135.	Luhmer et al., "Study of Xenon Binding in Cryptophane-A Using laser-Induced NMR Polarization Enhancement," J. Am. Chem. Soc., Vol. 121, pp. 3502-3512 (1999).				
	136.	Lunsford et al., "In Vivo Biological Effects of Stereotactic Radiosurgery: A Primate Model," Neurosurgery, Vol. 27, No. 3, pp. 373-382 (September 1990).				
	137.	Mair et al., "Probing Porous Media with Gas Diffusion NMR," Phys. Rev. Ltrs., Vol. 83, No. 16, pp. 3324-3327 (1999).				
,	138.	Mair et al., "Magnetic Resonance Imaging of Convection in Laser-Polarized Xenon," Phys. Rev. E, Vol. 61, No. 3 (March 2000).				
	139.	Manabe et al., "0.1-T Human Fat/Water Separation by SIDAC," Mag. Reson. In Med., Vol. 5, pp. 492-501 (1987).				
	140.	Mansfeld et al., "The use of ¹²⁹ Xe NMR exchange spectroscopy for probing the microstructure of poromaterials," Chem. Phys. Ltrs., Vol. 213, No. 1, 2, pp. 153-157 (1 October 1993).				
	141.	Martin, "The Pharmacokinetics of Hyperpolar Reson. Imag., Vol. 7, No. 5, pp. 848-854 (Sep	rized Xenon: Implications for Cerebral MR	I," Jour. Magn.		
	142.	McKim et al., "Evidence of xenon transport the Biochimica et Biophysica Acta 1193, pp. 186	hrough the gramicidin channel: a ¹²⁹ Xe-NN i-198 (1994).	/IR study,"		
	143.	Middleton, "The Spin Structure of the Neutro Dissertation, Princeton University (November	on Determined Using a Polarized ³ He Targe r 1994).	t", Ph.D.		
	144.	Miller et al., "Xenon NMR: Chemical shifts of a general anesthetic common solvents, proteins, and membranes", Proc. of the Nat. Acad. of Sci. (USA), Vol. 78, No. 8, pp. 4946-4949 (August 1981).				
	145.	Miller, "129Xe NMR in Polymers," Rubber Ch	Miller, "129Xe NMR in Polymers," Rubber Chem. and Tech., Vol. 66, pp. 455-461 (1993).			
	146.	Mohr et al., "Surface Fluorination of Compos Membrane Sci., Vol. 55, pp. 131-148 (1991).	Mohr et al., "Surface Fluorination of Composite Membranes. Part I. Transport Properties," J.			
	147.	Moschos et al., "Communications Nuclear Ma Solvents," J. Mag. Reson., Vol. 95, pp. 603-60	agnetic Relaxation of Xenon-129 Dissolved 06 (1991).	l in Organic		
	148.	Mugler, III et al. "Gradient-Echo MR Imaging Physics of MR Imaging, U. of VA Health Sci	Mugler, III et al. "Gradient-Echo MR Imaging," RSNA Categorical Course in Physics: The Basic Physics of MR Imaging, U. of VA Health Sci. Ctr., pp. 71-88 (1997).			

		Sheet 8	01 10
	U.S. Department of Commerce nt and Trademark Office	Attorney Docket Number PM9978 DIV	Serial No.
	OCUMENTS CITED BY APPLICANT		To Be Determined
(U	se several sheets if necessary)		
		Applicants: Hasson et al.	
		Filing Date: Herewith	Group
149.	Newbury et al., "Gaseous ³ He- ³ He Magnetic 4411-4420 (1993).	Dipolar Spin Relaxation," Phys. Rev. A, V	ol. 48, No. 6, pp.
150.	Ottinger et al., "Broadening of the Rb Reson 1815-1828 (1975).	ance Lines by the Noble Gases," Phys. Rev	. A, Vol. 11, pp.
151.	Pasquier et al., "129Xe NMR as a Probe of the Reson. Imag., Vol. 14, No. 7/8, pp. 971-973	e Dynamics of Gas Confined in Porous Vyc (1996).	or," Mag.
152.	Pauly, "Permeability and Diffusion Data," T	he Polymer Handbook, VI, pp. 435-449.	
153.	Peled et al., "Determinants of Tissue Deliver Med, Vol. 36, pp. 340-343 (1996).	y for ¹²⁹ Xe Magnetic Resonance in Humans	," Mag. Res.
154.	Pfeffer et al., "129Xe Gas NMR Spectroscopy and Imaging with a Whole-Body Imager," J. Mag. Reson. Series A 108, pp. 106-109 (1994).		
155.	Pietraβ et al., "Optically Polarized 129Xe in NMR Spectroscopy," Advanced Materials, pp. 826-838 (1995)		
156.	Pollack et al., "Solubility of xenon in liquid r functions," J. Chem. Phys., Vol. 7, No. 6, pp.	n-alkanes: Temperature dependence and the . 3221-3229 (15 September 1982).	rmodynamic
157.	Pollack et al., "Solubility of xenon in liquid r liquids," J. Chem. Phys., 81 (7) pp. 3239-324	n-alkanois: Thermodynamic functions in sin 46 (1 October 1984).	ple polar
158.	Raftery, et al., "High-Field NMR of Adsorbe Vol. 66, No. 5, pp. 584-587 (4 February 199	ed Xenon Polarized by Laser Pumping," Ph	ys. Rev. Lett.,
159.	Raftery, et al., "NMR of optically pumped xe 385-390 (4/8/92).	non thin films," Chem. Phys. Lett., Vol. 19	1, No. 5, pp.
160.	Rinck et al., "NMR-Imaging of Fluorine-Con Studies," Vol. 140, No. 3, pp. 239-243 (Marc	taining Substances. ¹⁹ Fluorine Ventilation ach 1984) (German).	and Perfusion
161.	Robillard, Jr. et al., "Aromatic Hydrophobes and β-Lactoglobulin A. Thermodynamics of Binding," Biochemistry, Vol. 11, No. 21, pp. 3835-3840 (1972).		
162.	Ruth et al., "Production of Nitrogen-Free, Hy (1999).	perpolarized ¹²⁹ Xe Gas," Appl. Phys. B, Vo	ol. 68, pp. 93-97
163.	Sauer et al., "Laser-Polarized Liquid Xenon," 1997).	'Chem. Phys. Lett., Vol. 277, pp. 153-158	(3 October
164.	Schaefer et al., "Frequency shifts of the magn polarized noble gases and vapors of spin-pola pp. 5613-5623 (1989).	netic-resonance spectrum of mixtures of nuc arized alkali-metal atoms," Phys. Rev. A., V	lear spin- ol. 39, No. 11,
165.	Schaefer et al., "Determination of spin-exchanges" Phys. Rev. A., Vol. 41, No. 11, pp. 606	nge parameters between optically pumped r 63-6070 (1990).	ubidium and
166.	Schearer, "Optical Pumping of Neon (3P2) Mo	etastable Atoms," Phys. Rev., Vol. 180, No.	1, pp. 83-90

Sheet <u>9</u> of 10

F	Paten	U.S. Department of Commerce at and Trademark Office CUMENTS CITED BY APPLICANT	Attorney Docket Number PM9978 DIV	Serial No. To Be Determined
DIST OF				
	(Use	e several sheets if necessary)		
		i	Applicants: Hasson et al.	
			Filing Date: Herewith	Group
		(1969).		
16	67.	Schearer, "Optical Pumping of Neon Metasta 660-661 (2 September 1968).	able (³ P ₂) Atoms," Phys. Rev. Lett., Vol. 21	, No. 10, pp.
16	68.	Schearer, "Optical Pumping of ³ P ₂ Argon and (10 February 1969).	d Xeon Atoms," Phys. Lett., Vol. 28A, No.	9, pp. 660-661
16	69.	Schearer, "Depolarization Cross Sections for Rev., Vol. 188, No. 1, pp. 505-506 (5 December)	the Metastable Noble Gases by Optical Puber 1969).	mping," Phys.
17	70.	Schmidt et al., "Diffusion Imaging with Hype 187 (1997).	erpolarized ³ He Gas," J. Mag. Reson., Vol.	129, pp. 184-
17	71.	Schoenborn, "Binding of Xenon to Horse Ha 1965).	emoglobin," Nature, Vol. 208, pp. 760-762	! (November 20,
17	72.	Shang-Yi, "Broadening, Asymmetry and Shift of Rubidium Resonance Lines Under Different Pressures of Helium and Argon up to 100 Atmospheres," Phys. Rev., Vol. 58, pp. 1051-1058 (1940).		
17	73.	Simonsen et al., "CBF and CBV Measurements by USPIO Bolus Tracking: Reproducibility and Comparison with Gd-Based Values," J. Mag. Reson. Imag., Vol. 9, pp. 342-347 (1999).		
17	74.	Sled et al., "Standing-Wave and RF Penetration Artifacts Caused by Elliptic Geometry: An Electrodynamic Analysis of MRI," IEEE Transactions on Medical Imaging, Vol. 17, No. 4, pp. 653-662 (August 1998).		
17	75.	Song et al., "Spin-Polarized ¹²⁹ Xe Gas Imaging of Materials," J. Mag. Reson., Series A 115, pp. 127-130 (1995).		
17	76.	Surkau et al., "Large hyperpolarized ³ He quantities for ³ He-MRI of the lung," Proceedings of the Int'l Soc. for Mag. Res. In Med., 5th Sci. Mtg. and Exh, Vancouver, BC, Canada (April 12-18, 1997)		
17	77.	Susskind et al., "Studies of Whole-Body Rete Med., Vol. 5, pp. 13-34 (1978).		
17	78.	Swanson et al., "Brain MRI with Laser-Polari	zed ¹²⁹ Xe," Mag. Res. Med., Vol. 38, pp. 6	95-698 (1997).
179	79.	Tilton, Jr., et al, "Nuclear Magnetic Resonance Studies of Xenon-129 with Myoglobin and Hemoglobin," Biochemistry, Vol. 21, No. 26, pp. 6850-6857 (1982).		
186	30.	Tongier et al., "Use of Cuffed Oropharyngeal Airway (COPA) as an Alternative to the LMA for Providing Positive Pressure Ventilation during Ambulatory Anesthesia," Anesthesiology, Vol. 89, No. 3A (September 1996).		
18	31.	Tseng et al., "NMR of Laser-Polarized 129Xe i	in Blood Foam," J. Mag. Res., Vol. 126, pp	o. 79-86 (1997).
182	32.	Wilcock, R.J. et al., "Solubilities of gases in liquids II. The solubilities of He, Ne, Ar, Kr, O2, N ₂ , CO, CO ₂ , CH ₄ , CF ₄ , and SF6 in n-octane 1-octanol, n-decane, and 1-decanol," J. Chem. Thermodyn., Vol. 10, pp. 817-822 (1978).		
183		Wilms et al., "Polarimetry on dense samples of Instru. & Methods in Phys. Res. A, Vol. 401,	of spin-polarized ³ He by magnetostatic detector of spin-polarized (1997).	ction," Nuc.
184	4.	Wu et al., "Experimental Studies of Wall Interactions of Adsorbed Spin-Polarized ¹³¹ Xe Nuclei." Phys		

Sheet 10 f 10 Attorney Docket Number PM9978 DIV FORM PTO-1449 U.S. Department of Commerce Serial No. Patent and Trademark Office To Be Determined LIST OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary) Applicants: Hasson et al. Filing Date: Herewith Group Rev. A, Vol. 42, No. 5, pp. 2774-2784 (September 1, 1990). 185. Wyrwicz, A.M. et al., "Multiple environments of fluorinated anesthetics in intact tissues observed with ¹⁹F NMR spectroscopy," FEBS Lett., Vol. 162, No. 2, pp. 334-338 (October 1983). 186. Wyrwicz, A.M. et al., "Noninvasive Observations of Fluorinated Anesthetics in Rabbit Brain by Fluorine-19 Magnetic Resonance," Science, Vol. 222, pp. 428-430 (1983). 187. Yonas, H. et al., "Determination of Irreversible Ischemia by Xenon-Enhanced Computed Tomographic Monitoring of Cerebral Blood flow in Patients with Symptomatic Vasospasm," Neurosurgery, Vol. 24, pp. 368-372 (March 1989). 188. Yonehara et al., "Design of Rb Cell for Polarized ³He Ion Source Based on Electron Pumping," The 11th Symp. on Accelerator Sci. & Tech., Harima Sci. Garden City, pp. 174-175 (1997). Zeng et al., "Experimental determination of the rate constants for spin exchange between optically 189. pumped K, Rb, and Cs atoms and ¹²⁹Xe nuclei in alkali-metal--noble-gas van der Waals molecules," Physical Review A, Vol. 31, No. 1, pp. 260-278 (January 1985). 190. Zhao et al., "Biomedical Imaging Using Hyperpolarized Noble Gas MRI: Pulse Sequence Considerations," Nucl. Instr. and Meth. in Phys. Res. A, Vol. 402, pp. 454-460 (1998). PCT International Search Report, International Appln. No. PCT/US002/21283, mailed 30/11/00. 187

_		
D.FDD		DATE CONSTRUE
INER _ MINER Ir	nitial if re	DATE CONSIDERED reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if
C	onformar	nce and not considered. Include copy of this form with next communication to applicant.